

# The operating instruction of centrifugal bowl concentrator



# 江西恒昌矿山机械设备制造有限公司

JIANGXI HENGCHANG MINING MACHINERY MANUFACTURING CO., LTD

Tel: +86-797-5792699 Tax: +86-797-5792698

Contact: Hengchang Mining Machinery Email: info@miningmachinery.com.cn

Phone: +86-18870705821 Website: www.hengchangmachinery.com

Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.

## I. Description

Centrifugal bowl concentrator is one continuous winding rubber riffle type of gravity concentration equipment, used in the gold mining industry for the recovery of fine gold. The centrifugal bowl concentrator uses one continuous winding rubber riffle similar to a screw thread that spirals downward in the direction opposite of the bowl's rotation. This opposite spiral creates continuous self-cleaning riffles by keeping the feed in a slurry state allowing the gold to pull out and press against the wall; it means the bowl can run all day.

## II. Application

It can be used not only for placer gold mining, but also for hard rock mining to recover the natural gold, replacing amalgamation. It is also used to recover gold from the old tailings.

## III. Working Principle

The hollow shaft of centrifugal bowl concentrator can be driven by electrical motor transmission part through belt driving, making the rotation inner sleeve rotate in a high speed to produce centrifugal force. The centrifugal force pushes the gold not only outward but also upward such that even when gold enters the riffles it is not securely trapped. In fact it will continue to migrate up the bowl's wall over riffle after riffle until it is lost. Spiral riffles eliminate this loss by forming a gold trap undercut along the bottom of all the riffles.

## IV. Features

- 1. High concentrating ratio and recovery for fine gold.
- 2. Removal of both nonmagnetic and magnetic sands without fine gold loses.
- 3. Continuous centrifuge bowl with self-cleaning riffles.
- 4. Environmentally friendly (requires no chemical additives or reagents).
- 5. Low water and electricity requirements.
- 6. Low production costs, durable wear parts, minimal maintenance requirements.
- 7. Compact design requiring less space, easy merged into the existing mining processing.

#### V. Technical Parameter

Model	Capacity	Feeding size	Feeding density	Water rate	Motor power	Dimension	Weight
	(t/h)	(mm)	(%)	(t/h)	(kw)	(mm)	(kg)
CB-80	2-5	0-3	10%	1.5-2	1.1	960x850x750	140
KCB-80	1-3	0-3	10%	1.5-2	1.1	1050x800x920	150

# VI. Installation and Adjustment

## 1. Preparation and inspection before startup

a. Prepare and inspect the motor before use according to the requirements of the motor.

- b. Check whether the equipment feet are stable.
- c. Check the tightness of the V-belt. (Test machine has been adjusted before leaving the factory).
- d. Check for interference of the moving parts of the equipment, and check by manual turning.
- e. Check whether the concentrate discharge outlet is closed.

## 2. Startup of the equipment

After the preparation and inspection according to the above 5 items, turn on the power, jog the motor, check whether the motor and the equipment are running in the same direction, and check whether the moving parts interfere, and then turn on the power to make the equipment enter normal operation.

## 3. Water feeding of the equipment

When the equipment enters normal operation, open the recoil valve, and at the same time, feed the slurry prepared according to the required liquid-solid ratio.

## 4. Matters needing attention at work

- a. Monitor the temperature and current of the motor as usual.
- b. Observe the condition of the moving parts everywhere and check for any abnormalities.
- c. Pay attention to the slurry-solid ratio at any time and adjust it in time. Performing an annual repair, make large cleaning and adjustment of various parts of the equipment, and replace a large number of wearing parts.

## 5. Equipment shutdown

The equipment works normally to clean up the concentrate once per shift. Before stopping the machine, stop feeding the slurry first, and then stop the machine. After the equipment is stable, unscrew the screw plug of the concentrate outlet and flush the concentrate into the concentrate box. The clearing time is 15-20 minutes. Then, tighten the plug and proceed to the next cycle.

## 6. Abnormal shutdown of equipment

Under special circumstances, temporary shutdown is required. Be sure to stop feeding to the mine first, then stop backwashing, and then stop. However, the downtime should not be too long to prevent the time being too long. (If the downtime is required for a long time, the concentrate needs to be cleaned up and then shut down.) In addition, after the temporary shutdown, the ore slurry must be supplied first, and then backwash water must be given to avoid the loss of gold particles.

#### VII Pictures





Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a>

Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: <a href="mailto:info@miningmachinery.com.cn">info@miningmachinery.com.cn</a> Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.





Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a> Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: <a href="mailto:info@miningmachinery.com.cn">info@miningmachinery.com.cn</a> Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.





Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a> Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: <a href="mailto:info@miningmachinery.com.cn">info@miningmachinery.com.cn</a> Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.





Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd

Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a>
Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: info@miningmachinery.com.cn

Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: <a href="mailto:info@miningmachinery.com.cn">info@miningmachinery.com.cn</a> Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.

VII. About us

Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd. is one of the leading company in

mining gravity separator machine designing & manufacturing in China. Up to now, we have developed four

major product lines; they are mining milling machine, mining classifying separator, mining flotation machine

and the mining gravity separator.

We have three senior engineers and two junior engineers on equipment designing and mining process

designing. At the same time, we kept good relationship with some mining research institute and university,

such as Jiangxi University of Science and Technology, Ganzhou Nonferrous Metallurgy Research Institute,

Hunan Research Institute of Nonferrous Metals, and etc., to improve our designing and production, and also

provide technology support for the mining project.

With more than 30 years in mining business, we have accumulated enough experience in gold mining

plant, tungsten mining plant, wolfram mining plant, tin mining plant, cassiterite mining plant, coltan mining

plant, columibte mining plant, and iron ore mining plant, black/beach sand mining plant designing,

manufacturing, installing, commissioning and training. We could provide the customized complete mining

solution to our customer.

Our major overseas market is Africa and Southeast Asia, and our products covers 43 global countries, as

more and more customers are aware of our quality products and good service, this number is growing fast.

Focus areas:

Mining equipment, vibrating feeder, vibrating screen, crusher, ball mill, classifying separator, leaching tank,

flotation machine, gravity separator, shaking table, spiral chute, jig machine, centrifugal concentrator and

other mining equipment.

Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd

# **About Us**

Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd

Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd was established in 1985 with the registered capital of 500,000 USD. We covers an area of more than 30,000 square meters, owning more than 30 types of heavy processing equipments and with an annual sales 0f more than 8 millions. We have a professional international level engineer team and a strong R&D department, having been cooperated with domestic and oversea Scientific Research Institutes for many years. As a professional mining machinery manufacturer, we take perfectness as our goal and are willing to make our continuous efforts.

















# **Customers Visiting Us**



Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd

Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a>

Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: <a href="mailto:info@miningmachinery.com.cn">info@miningmachinery.com.cn</a> Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.



## OEM / custom make as per customers' requests.

International level engineers team

Experienced and Advanced mineral processing technology!

Over 30 years mining machinery manufacturing

MORE

MORE

MORE

## **HENGCHANG ONE-STOP SERVICE:**

- 1. Providing test of your raw ore 2. Complete processing flowchart design
  - 3. Supplying complete line of mining equipments
- 4. Engineers come to mining site for installation, commissioning and workers training.











# **Exhibition Show**

























Jiangxi Hengchang Mining Machinery Manufacturing Co., Ltd Website: <a href="https://www.hengchangmachinery.com/">https://www.hengchangmachinery.com/</a>

Contact: Hengchang Mining Machinery Whatsapp: +8618870705821 Email: info@miningmachinery.com.cn Address: No. 3 Chuangye Road, Guzhang Industrial Park, Shicheng County, Ganzhou City, Jiangxi Province, China.